

Product Name: ELANCO AH0487 DEMIZE POUR-ON FOR CATTLE
APVMA Approval No: 50781/118738



Label Name:	ELANCO AH0487 DEMIZE POUR-ON FOR CATTLE
Signal Headings:	POISON KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	25 g/L ZETA-CYPERMETHRIN
Claims:	For the control of synthetic pyrethroid-susceptible cattle lice (<i>Bovicola bovis</i> , <i>Haematopinus eurysternus</i> , <i>Solenopotes capillatus</i> and <i>Linognathus vituli</i>), house fly (<i>Musca domestica</i>), stable fly (<i>Stomoxys calcitrans</i>) and buffalo fly (<i>Haematobia irritans exigua</i>) on cattle. Resistance may develop to any chemical.
Net Contents:	1L 5L 10L 20L
Directions for Use:	
Restrains:	Re-treatment Interval: DO NOT re-treat animals for 3 weeks after last treatment.
Contraindications:	DO NOT APPLY the product to areas of the skin that have pre-existing lesions. DO NOT APPLY as a single spot.
Precautions:	n/a
Side Effects:	n/a

Dosage and Administration:	<p>Pour product evenly along the backline, FROM THE POLL TO THE BASE OF THE TAIL. Apply 10 mL per 100 kg (2.5 mg/kg) body weight using an applicator or autodosing bottle. Animals should be restrained in a race or crush during application.</p> <p>As this product may cause skin irritation it is recommended that it be used with care on lactating dairy cows as animals may kick whilst in the dairy for up to 72 hours after treatment.</p> <p>The following table may be used as a guide: (see table in attachment)</p> <p>This section contains file attachment.</p>
----------------------------	--

General Directions:	<p>NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.</p> <p>Demize Pour-On for Cattle will knockdown but not control synthetic pyrethroid resistant flies.</p> <p>It is good agricultural practice not to treat animals when they are wet or if rain is likely.</p> <p>Demize Pour-On for Cattle should be applied with the recommended applicator.</p> <p>Zeta-cypermethrin is a synthetic pyrethroid. Synthetic pyrethroids may cause skin irritation. In herds that react, a large proportion of the herd may be involved. Signs may include increased body movements, arching of the back, stamping and increased tail swishing. Occasionally an increase in salivation and tear formation may occur. These signs may be more severe in lactating dairy cows as they may also kick whilst being milked in the dairy. The product should be used with care. If present, signs usually disappear within 72 hours.</p>
---------------------	---

Withholding Periods:	<p>MEAT: DO NOT USE less than 14 days before slaughter for human consumption.</p> <p>MILK: Zero (0) days.</p>
----------------------	---

Trade Advice:	<p>EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 28 days before slaughter for export. Before using this product, confirm the current ESI from Elanco Australasia on 1800 226 324 or APVMA website (www.apvma.gov.au).</p>
---------------	---

Safety Directions:	<p>Will irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. When using the product, wear elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves and face shield or goggles.</p>
--------------------	---

First Aid Instructions:	<p>If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 1126.</p>
-------------------------	--

First Aid Warnings:	<p>n/a</p>
---------------------	------------

Additional User Safety:	<p>Additional information is in the Safety Data Sheet. For a copy, refer to www.elanco.com.au.</p>
-------------------------	---

Environmental Statements:	ENVIRONMENTAL PROTECTION: Zeta-cypermethrin is toxic to fish and aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with this product or used containers.
Disposal:	Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. If the container has the drumMUSTER logo visible, has been thoroughly cleaned and dried, and is free of any visible residues, it can be recycled at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be recycled separately with the container. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.
Storage:	Store below 30 °C (room temperature) in a dry place in tightly closed original container. Do not store in direct sunlight.

Demize Dosage Table (50781)

Weight (kg)	Dose (mL)	Weight (kg)	Dose (mL)
Up to 50	5	301-400	40
51-100	10	401-500	50
101-150	15	501-600	60
151-200	20	Over 600 Maximum dose/animal	60
201-300	30		

Directions for 1 litre squeezepack

Using Demize 1 litre Squeezepack

1. Remove cap from the measuring chamber
2. Gently squeeze the bottle to fill the chamber.
3. Measure out 10 mL per 100 kg liveweight
4. Apply evenly along the neck and backline of the animal beginning at the poll and continuing to the base of the tail.