

Source: Avant Member Telehealth Survey, September 2020

Inclusions: doctors who indicated they do consultations with patients in Q4.

Exclusions: results for subgroups of less that 50 respondents; results for open-text questions.

| 1. Are you a  |      |      |
|---|------|------|
| Base: all respondents                                 | %    | n    |
| Doctor in training (i.e. Intern, Resident, Registrar) | 5%   | 65   |
| GP, Specialist or Career Medical Officer              | 95%  | 1266 |
| Grand Total*  | 100% | 1331 |

<sup>\*</sup> Results for the additional option, 'None of these' (n=14) are excluded as these respondents did not complete the survey. No respondents selected the option 'Medical student' which is also not shown.

| 2. What is your specialty (or the specialty you are training for)? |      |      |  |  |  |  |  |
|--|------|------|--|--|--|--|--|
| Base: all respondents  | %    | n    |  |  |  |  |  |
| General practitioner   | 54%  | 725  |  |  |  |  |  |
| Surgeon  | 12%  | 155  |  |  |  |  |  |
| Physician  | 21%  | 280  |  |  |  |  |  |
| Psychiatrist <sup>^</sup>  | 8%   | 105  |  |  |  |  |  |
| Other (please specify)^^   | 5%   | 66   |  |  |  |  |  |
| Grand Total  | 100% | 1331 |  |  |  |  |  |

<sup>^ &#</sup>x27;Psychiatrist' was derived from the open-text entries in 'Other'

<sup>\*\*</sup>Results for respondents who selected 'Other' are not further referenced in this datafile, as there there was <50 of these respondents for most questions.

| 3. What state/territory do you mainly practise in? |      |      |
|--|------|------|
| Base: all respondents                              | %    | n    |
| Australian Capital Territory                       | 2%   | 31   |
| New South Wales                                    | 34%  | 458  |
| Northern Territory                                 | 1%   | 11   |
| Queensland   | 21%  | 279  |
| South Australia                                    | 4%   | 47   |
| Tasmania   | 2%   | 26   |
| Victoria   | 33%  | 435  |
| Western Australia                                  | 3%   | 44   |
| Grand Total  | 100% | 1331 |

| Base: all respondents                                       | Yes (%)   | No (%)                  | Total (%)                 | Yes (n)              | No (n)                  | Total (n) |
|---|---|-------------------------|---------------------------|----------------------|-------------------------|-----------|
| All respondents**   | 96%   | 4%                      | 100%                      | 1282                 | 49                      | 1331      |
| **Results for the option 'N/A - I don't do patient consulta | ations' (n=15) and those who did not answer thi | is question (n=3) are e | xcluded from all analysis | as these respondents | did not complete the su | urvey.    |
|   | Yes (%)   | No (%)                  | Total (%)                 | Yes (n)              | No (n)                  | Total (n) |
| General practitioner  | 99%   | 1%                      | 100%                      | 719                  | 6                       | 725       |
| Physician   | 96%   | 4%                      | 100%                      | 268                  | 12                      | 280       |
| Psychiatrist  | 99%   | 1%                      | 100%                      | 104                  | 1                       | 105       |
| Surgeon   | 92%   | 8%                      | 100%                      | 143                  | 12                      | 155       |
|   | Yes (%)   | No (%)                  | Total (%)                 | Yes (n)              | No (n)                  | Total (n) |
| New South Wales   | 95%   | 5%                      | 100%                      | 435                  | 23                      | 458       |
| Queensland  | 97%   | 3%                      | 100%                      | 271                  | 8                       | 279       |
| Victoria  | 98%   | 2%                      | 100%                      | 425                  | 10                      | 435       |
|   | Yes (%)   | No (%)                  | Total (%)                 | Yes (n)              | No (n)                  | Total (n) |
| Doctor in training  | 94%   | 6%                      | 100%                      | 61                   | 4                       | 65        |
| Fully qualified doctor                                      | 96%   | 4%                      | 100%                      | 1221                 | 45                      | 1266      |



| by doctors for doctors   |                                  |                    |                 |                  |                   |
|--|----------------------------------|--------------------|-----------------|------------------|-------------------|
| 5. Over the last 4 weeks, roughly what percentage of your consulta   | ations were?                     |                    |                 |                  |                   |
|  |                                  |                    |                 | Telehealth with  | Other modes (e.g. |
| Base: respondents who provide telehealth consultations   |                                  | Face-to face (%)   | Telehealth with | phone/audio only | webchat, SMS,     |
|  |                                  | (10)               | video (%)       | (%)              | email) (%)        |
| All respondents (n=1243)   | MEDIAN                           | 60%                | 0%              | 23%              | 0%                |
| - Company of the Comp | % said 0%                        | 10%                | 55%             | 7%               | 88%               |
|  | % said 1%-25%                    | 18%                | 29%             | 49%              | 11%               |
|  | % said 26%-50%                   | 17%                | 8%              | 22%              | 0%                |
|  | % said 51%-75%                   | 19%                | 3%              | 10%              | 0%                |
|  | % said 76%-100%                  | 35%                | 5%              | 12%              | 0%                |
|  |                                  | 2011               |                 | Telehealth with  | Other modes (e.g. |
| Base: respondents who provide telehealth consultations   |                                  | Face-to face (%)   | Telehealth with | phone/audio only | webchat, SMS,     |
| , , , , , , , , , , , , , , , , , , ,  |                                  | (11)               | video (%)       | (%)              | email) (%)        |
| General practitioner (n=693)   | MEDIAN                           | 65%                | 0%              | 30%              | 0%                |
| . ,  | % said 0%                        | 6%                 | 71%             | 3%               | 89%               |
|  | % said 1%-25%                    | 16%                | 24%             | 43%              | 11%               |
|  | % said 26%-50%                   | 20%                | 2%              | 28%              | 0%                |
|  | % said 51%-75%                   | 25%                | 1%              | 12%              | 0%                |
|  | % said 76%-100%                  | 34%                | 2%              | 14%              | 0%                |
| Physician (n=265)  | MEDIAN                           | 50%                | 10%             | 20%              | 0%                |
| i nysiolan (n=200)   | % said 0%                        | 14%                | 30%             | 9%               | 89%               |
|  |                                  |                    | 37%             |                  |                   |
|  | % said 1%-25%                    | 26%                |                 | 51%              | 11%               |
|  | % said 26%-50%                   | 17%                | 18%             | 17%              | 0%                |
|  | % said 51%-75%                   | 14%                | 7%              | 11%              | 0%                |
|  | % said 76%-100%                  | 29%                | 8%              | 13%              | 0%                |
| Psychiatrist (n=98)  | MEDIAN                           | 12.5%              | 40%             | 10%              | 0%                |
|  | % said 0%                        | 34%                | 13%             | 21%              | 91%               |
|  | % said 1%-25%                    | 26%                | 31%             | 51%              | 8%                |
|  | % said 26%-50%                   | 11%                | 20%             | 12%              | 1%                |
|  | % said 51%-75%                   | 9%                 | 10%             | 4%               | 0%                |
|  | % said 76%-100%                  | 20%                | 26%             | 11%              | 0%                |
| Surgeon (n=141)  | MEDIAN                           | 80%                | 0%              | 10%              | 0%                |
|  | % said 0%                        | 6%                 | 51%             | 6%               | 84%               |
|  | % said 1%-25%                    | 13%                | 33%             | 70%              | 16%               |
|  | % said 26%-50%                   | 12%                | 8%              | 16%              | 0%                |
|  | % said 51%-75%                   | 13%                | 3%              | 5%               | 0%                |
|  | % said 76%-100%                  | 56%                | 6%              | 4%               | 0%                |
|  |                                  | 33.5               |                 | Telehealth with  | Other modes (e.g. |
| Base: respondents who provide telehealth consultations   |                                  | Face-to face (%)   | Telehealth with | phone/audio only | webchat, SMS,     |
|  |                                  | . 200 10 1000 (70) | video (%)       | (%)              | email) (%)        |
| New South Wales (n=424)  | MEDIAN                           | 70%                | 0%              | 20%              | 0%                |
| The second frame (in the f   | % said 0%                        | 7%                 | 59%             | 8%               | 89%               |
|  | % said 1%-25%                    | 11%                | 29%             | 54%              | 11%               |
|  | % said 1%-25%<br>% said 26%-50%  | 17%                | 6%              | 21%              | 0%                |
|  | % said 20%-30%<br>% said 51%-75% | 22%                | 2%              | 8%               | 0%                |
|  |                                  |                    |                 |                  |                   |
| 70.4 1 4 440   | % said 76%-100%                  | 43%                | 3%              | 8%               | 0%                |
| Victoria (n=414)   | MEDIAN                           | 20%                | 5%              | 46.5%            | 0%                |
|  | % said 0%                        | 18%                | 41%             | 5%               | 87%               |
|  | % said 1%-25%                    | 38%                | 30%             | 31%              | 12%               |
|  | % said 26%-50%                   | 20%                | 13%             | 23%              | 0%                |
|  | % said 51%-75%                   | 11%                | 6%              | 17%              | 0%                |
|  | % said 76%-100%                  | 14%                | 11%             | 24%              | 0%                |
| Queensland (n=260)   | MEDIAN                           | 75%                | 0%              | 20%              | 0%                |
|  | % said 0%                        | 5%                 | 64%             | 5%               | 88%               |
|  | % said 1%-25%                    | 7%                 | 26%             | 62%              | 12%               |
|  | % said 26%-50%                   | 16%                | 6%              | 22%              | 0%                |
|  | % said 51%-75%                   | 25%                | 1%              | 6%               | 0%                |
|  |                                  |                    |                 |                  |                   |
|  | % said 76%-100%                  | 48%                | 3%              | 5%               | 0%                |



| Base: respondents who provide telehealth consultations |                 | Face-to face (%) | Telehealth with | Telehealth with<br>phone/audio only | Other modes (e.g. webchat, SMS, |
|--|-----------------|------------------|-----------------|-------------------------------------|---------------------------------|
|  |                 | ` ,              | video (%)       | (%)                                 | email) (%)                      |
| Fully qualified doctors (n=1184)                       | MEDIAN          | 60%              | 0%              | 21.5%                               | 0%                              |
|  | % said 0%       | 10%              | 54%             | 7%                                  | 88%                             |
|  | % said 1%-25%   | 18%              | 29%             | 49%                                 | 12%                             |
|  | % said 26%-50%  | 17%              | 8%              | 22%                                 | 0%                              |
|  | % said 51%-75%  | 19%              | 3%              | 10%                                 | 0%                              |
|  | % said 76%-100% | 35%              | 5%              | 12%                                 | 0%                              |
| Trainees (n=59)  | MEDIAN          | 65%              | 0%              | 25%                                 | 0%                              |
|  | % said 0%       | 10%              | 64%             | 10%                                 | 98%                             |
|  | % said 1%-25%   | 17%              | 15%             | 46%                                 | 2%                              |
|  | % said 26%-50%  | 14%              | 8%              | 32%                                 | 0%                              |
|  | % said 51%-75%  | 25%              | 8%              | 5%                                  | 0%                              |
|  | % said 76%-100% | 34%              | 3%              | 7%                                  | 0%                              |



| by doctors for doctors —  |             |                         |                    |           |         |                         |        |           |  |
|---|-------------|-------------------------|--------------------|-----------|---------|-------------------------|--------|-----------|--|
| 6. Have you received education or training in how to conduct telehealth con | sultations? |                         |                    |           |         |                         |        |           |  |
| Base: respondents who provide telehealth consultations                      | Yes (%)     | Yes, but not enough (%) | No (%)             | Total (%) | Yes (n) | Yes, but not enough (n) | No (n) | Total (n) |  |
| All respondents   | 27%         | 15%                     | 58%                | 100%      | 336     | 190                     | 718    | 1244      |  |
|   | Yes (%)     | Yes, but not enough (%) | No (%)             | Total (%) | Yes (n) | Yes, but not enough (n) | No (n) | Total (n) |  |
| General practitioner  | 29%         | 15%                     | 55%                | 100%      | 203     | 107                     | 386    | 696       |  |
| Physician   | 26%         | 17%                     | 57%                | 100%      | 69      | 44                      | 152    | 265       |  |
| Psychiatrist  | 38%         | 14%                     | 47%                | 100%      | 37      | 14                      | 46     | 97        |  |
| urgeon  | 14%         | 13%                     | 74%                | 100%      | 19      | 18                      | 103    | 140       |  |
|   | Yes (%)     | Yes, but not enough (%) | No (%)             | Total (%) | Yes (n) | Yes, but not enough (n) | No (n) | Total (n) |  |
| lew South Wales   | 27%         | 15%                     | 58%                | 100%      | 113     | 65                      | 246    | 424       |  |
| Queensland  | 28%         | 15%                     | 58%                | 100%      | 72      | 38                      | 151    | 261       |  |
| ictoria   | 27%         | 15%                     | 58%                | 100%      | 110     | 62                      | 242    | 414       |  |
|   | Yes (%)     | Yes, but not enough (%) | No (%)             | Total (%) | Yes (n) | Yes, but not enough (n) | No (n) | Total (n) |  |
| Doctor in training  | 34%         | 10%                     | 56%                | 100%      | 20      | 6                       | 33     | 59        |  |
| ully qualified doctor   | 27%         | 16%                     | 58%                | 100%      | 316     | 184                     | 685    | 1185      |  |
| 7. Where do you run your telehealth consultations? Select all that apply    |             |                         |                    |           |         |                         |        |           |  |
| Base: respondents who provide telehealth consultations                      | At work (%) | At home (%)             | Somewhere else (%) | Total (n) | _       |                         |        |           |  |

| 7. Where do you run your telehealth consultations? Select all that apply |             |             |                    |           |
|--|-------------|-------------|--------------------|-----------|
| Base: respondents who provide telehealth consultations                   | At work (%) | At home (%) | Somewhere else (%) | Total (n) |
| All respondents  | 90%         | 35%         | 2%                 | 1227      |
|  | At work (%) | At home (%) | Somewhere else (%) | Total (n) |
| General practitioner   | 93%         | 32%         | 2%                 | 686       |
| Physician  | 89%         | 40%         | 2%                 | 263       |
| Psychiatrist   | 77%         | 49%         | 3%                 | 97        |
| Surgeon  | 92%         | 27%         | 1%                 | 138       |
|  | At work (%) | At home (%) | Somewhere else (%) | Total (n) |
| New South Wales  | 92%         | 31%         | 2%                 | 417       |
| Queensland   | 93%         | 27%         | 2%                 | 255       |
| Victoria   | 86%         | 46%         | 2%                 | 410       |
|  | At work (%) | At home (%) | Somewhere else (%) | Total (n) |
| Doctor in training   | 97%         | 26%         | 0%                 | 58        |
| Fully qualified doctor   | 90%         | 36%         | 2%                 | 1169      |

| 8. Do you have clear guidelines in your practice/workplace to determ | ine who should be offere | d a telehealth consultati            | on?                             |           |         |                                      |                                 |           |
|--|--------------------------|--------------------------------------|---------------------------------|-----------|---------|--------------------------------------|---------------------------------|-----------|
| Base: respondents who provide telehealth consultations               | Yes (%)                  | No, the guidelines are not clear (%) | No, there are no guidelines (%) | Total (%) | Yes (n) | No, the guidelines are not clear (n) | No, there are no guidelines (n) | Total (n) |
| All respondents  | 64%                      | 17%                                  | 20%                             | 100%      | 769     | 203                                  | 237                             | 1209      |
|  | Yes (%)                  | No, the guidelines are not clear (%) | No, there are no guidelines (%) | Total (%) | Yes (n) | No, the guidelines are not clear (n) | No, there are no guidelines (n) | Total (n) |
| General practitioner   | 70%                      | 16%                                  | 14%                             | 100%      | 472     | 105                                  | 95                              | 672       |
| Physician  | 56%                      | 17%                                  | 27%                             | 100%      | 146     | 44                                   | 71                              | 261       |
| Psychiatrist   | 59%                      | 19%                                  | 23%                             | 100%      | 57      | 18                                   | 22                              | 97        |
| Surgeon  | 56%                      | 19%                                  | 25%                             | 100%      | 77      | 26                                   | 35                              | 138       |
|  | Yes (%)                  | No, the guidelines are not clear (%) | No, there are no guidelines (%) | Total (%) | Yes (n) | No, the guidelines are not clear (n) | No, there are no guidelines (n) | Total (n) |
| New South Wales  | 61%                      | 18%                                  | 21%                             | 100%      | 250     | 76                                   | 85                              | 411       |
| Queensland   | 64%                      | 17%                                  | 19%                             | 100%      | 161     | 44                                   | 47                              | 252       |
| Victoria   | 65%                      | 15%                                  | 20%                             | 100%      | 263     | 59                                   | 82                              | 404       |
|  | Yes (%)                  | No, the guidelines are not clear (%) | No, there are no guidelines (%) | Total (%) | Yes (n) | No, the guidelines are not clear (n) | No, there are no guidelines (n) | Total (n) |
| Doctor in training   | 47%                      | 34%                                  | 19%                             | 100%      | 27      | 20                                   | 11                              | 58        |
| Fully qualified doctor   | 64%                      | 16%                                  | 20%                             | 100%      | 742     | 183                                  | 226                             | 1151      |



| 9. What do you routinely cover at the start of a telehealth consultation | n? Select all that apply                             |   |   |  |   |            |            |  |
|--|--|---|---|--|---|------------|------------|--|
| Base: respondents who provide telehealth consultations                   | Confirmation that speaking to the right person (%)   | Consent for a telehealth consultation (%) | What to do if the connection is lost (%)                  | The billing process (%)                  | Guidelines around<br>making audio or visual<br>recordings of the<br>consultation (%)      | Other (%)  | Total (n)  |  |
| All respondents  | 92%  | 68%                                       | 20%   | 32%                                      | 11%   | 13%        | 1196       |  |
|  | Confirmation that speaking to the right person (%)   | Consent for a telehealth consultation (%) | What to do if the connection is lost (%)                  | The billing process (%)                  | Guidelines around<br>making audio or visual<br>recordings of the<br>consultation (%)      | Other (%)  | Total (n)  |  |
| General practitioner   | 96%  | 76%                                       | 16%   | 37%                                      | 12%   | 8%         | 677        |  |
| Physician  | 88%  | 60%                                       | 25%   | 26%                                      | 11%   | 17%        | 258        |  |
| Psychiatrist   | 66%  | 62%                                       | 49%   | 31%                                      | 22%   | 26%        | 89         |  |
| Surgeon  | 93%  | 53%                                       | 17%   | 21%                                      | 5%  | 15%        | 131        |  |
|  | Confirmation that speaking to the right              | Consent for a telehealth                  | What to do if the connection is lost                      | The billing process                      | Guidelines around making audio or visual  | Other (%)  | Total (n)  |  |
|  | person (%)   | consultation (%)                          | (%)   | (%)                                      | recordings of the consultation (%)  |            |            |  |
| New South Wales  |  | consultation (%)                          | 22%   | 31%                                      |   | 12%        | 406        |  |
|  | person (%)   |   |   |  | consultation (%)  | 12%<br>11% | 406<br>251 |  |
| Queensland   | person (%)   | 69%                                       | 22%   | 31%                                      | consultation (%)  |            |            |  |
| New South Wales Queensland Victoria                                      | 92%<br>92%   | 69%<br>72%                                | 22%<br>20%  | 31%<br>37%                               | 13% 10% 10% Guidelines around   | 11%        | 251        |  |
| Queensland   | 92% 92% 90%  Confirmation that speaking to the right | 69% 72% 63%  Consent for a telehealth     | 22%<br>20%<br>19%<br>What to do if the connection is lost | 31%<br>37%<br>28%<br>The billing process | consultation (%)  13% 10% 10%  Guidelines around making audio or visual recordings of the | 11%<br>15% | 251<br>399 |  |



n

|   | 10. As a trainee, do you feel you are exposed to the same learn | ing opportunities when using telehealth? |
|---|---|--|
| - | Base: trainees who provide telehealth consultations             | %  |

Yes No 46% 26 54% 31 Grand Total<sup>#</sup>

\*\*Too few respondents for a breakdown by subgroup 57

12. During a telehealth consultation, do you feel you are able to access supervisor support?

| Base: trainees who provide telehealth consultations | %    | n  |
|---|------|----|
| Usually   | 63%  | 36 |
| Sometimes   | 33%  | 19 |
| Never   | 4%   | 2  |
| Grand Total <sup>#</sup>                            | 100% | 57 |

<sup>#</sup>Too few respondents for a breakdown by subgroup

| 14. Do you supervise junior doctors performing telehealth consultations?        |
|---|
| 14. DO YOU SUDELVISE IUIIIOI UOCIOIS DELIOITIIIIU LEIEITEAILII COIISUILALIOIIS! |

| 14. Do you supervise junior doctors performing telehealth consultation | ns?     |        |           |         |        |           |
|--|---------|--------|-----------|---------|--------|-----------|
| Base: fully qualified doctors who provide telehealth consultations     | Yes (%) | No (%) | Total (%) | Yes (n) | No (n) | Total (n) |
| All respondents  | 18%     | 82%    | 100%      | 212     | 956    | 1168      |
|  | Yes (%) | No (%) | Total (%) | Yes (n) | No (n) | Total (n) |
| General practitioner   | 13%     | 88%    | 100%      | 81      | 567    | 648       |
| Physician  | 30%     | 70%    | 100%      | 76      | 179    | 255       |
| Psychiatrist   | 25%     | 75%    | 100%      | 22      | 67     | 89        |
| Surgeon  | 20%     | 80%    | 100%      | 27      | 109    | 136       |
|  | Yes (%) | No (%) | Total (%) | Yes (n) | No (n) | Total (n) |
| New South Wales  | 16%     | 84%    | 100%      | 62      | 337    | 399       |
| Queensland   | 14%     | 86%    | 100%      | 33      | 208    | 241       |
| Victoria   | 24%     | 76%    | 100%      | 94      | 296    | 390       |



| by doctors for doctors —   |                                       |                                      |  |                              |  |                         |                                  |   |           |           |
|--|---------------------------------------|--------------------------------------|--|------------------------------|--|-------------------------|----------------------------------|---|-----------|-----------|
| 16. What prevents you from using, or more frequently using, telehea  | lth (phone/audio or video) v          | with your patients? Se               | lect all that apply                    |                              |  |                         |                                  |   |           |           |
| Base: respondents who provide telehealth consultations (all respondents were asked this question, but there were too few respondents who did not provide telehealth to report their results) | Ability to safely triage patients (%) | Concern about continuity of care (%) | Not having the necessary equipment (%) | Resistance from patients (%) | A need to see<br>patients in person<br>(%) | Privacy concerns<br>(%) | The bulk billing requirement (%) | Inability to access<br>Medicare for some<br>patients (e.g. new<br>patients) (%) | Other (%) | Total (n) |
| All respondents  | 28%                                   | 17%                                  | 12%                                    | 18%                          | 73%  | 8%                      | 17%                              | 18%   | 18%       | 1202      |
|  | Ability to safely triage patients (%) | Concern about continuity of care (%) | Not having the necessary equipment (%) | Resistance from patients (%) | A need to see<br>patients in person<br>(%) | Privacy concerns<br>(%) | The bulk billing requirement (%) | Inability to access<br>Medicare for some<br>patients (e.g. new<br>patients) (%) | Other (%) | Total (n) |
| General practitioner   | 35%                                   | 21%                                  | 12%                                    | 16%                          | 75%  | 9%                      | 23%                              | 27%   | 15%       | 673       |
| Physician  | 24%                                   | 17%                                  | 12%                                    | 20%                          | 74%  | 9%                      | 10%                              | 7%  | 22%       | 254       |
| Psychiatrist   | 13%                                   | 5%                                   | 10%                                    | 21%                          | 47%  | 7%                      | 2%                               | 4%  | 18%       | 97        |
| Surgeon  | 19%                                   | 14%                                  | 14%                                    | 19%                          | 80%  | 2%                      | 20%                              | 7%  | 24%       | 139       |
|  | Ability to safely triage patients (%) | Concern about continuity of care (%) | Not having the necessary equipment (%) | Resistance from patients (%) | A need to see<br>patients in person<br>(%) | Privacy concerns<br>(%) | The bulk billing requirement (%) | Inability to access<br>Medicare for some<br>patients (e.g. new<br>patients) (%) | Other (%) | Total (n) |
| New South Wales  | 29%                                   | 21%                                  | 11%                                    | 17%                          | 74%  | 11%                     | 20%                              | 23%   | 17%       | 408       |
| Queensland   | 30%                                   | 16%                                  | 11%                                    | 15%                          | 82%  | 6%                      | 19%                              | 22%   | 16%       | 250       |
| Victoria   | 27%                                   | 13%                                  | 12%                                    | 21%                          | 66%  | 5%                      | 14%                              | 11%   | 17%       | 404       |
|  | Ability to safely triage patients (%) | Concern about continuity of care (%) | Not having the necessary equipment (%) | Resistance from patients (%) | A need to see<br>patients in person<br>(%) | Privacy concerns<br>(%) | The bulk billing requirement (%) | Inability to access<br>Medicare for some<br>patients (e.g. new<br>patients) (%) | Other (%) | Total (n) |
| Doctor in training   | 31%                                   | 16%                                  | 16%                                    | 11%                          | 78%  | 5%                      | 15%                              | 31%   | 11%       | 55        |
| Fully qualified doctor   | 28%                                   | 17%                                  | 12%                                    | 18%                          | 73%  | 8%                      | 18%                              | 18%   | 18%       | 1147      |



| by doctors for doctors   |                                    |                                    |                            |  |   |  |                      |           |           |  |
|--|------------------------------------|------------------------------------|----------------------------|--|---|--|----------------------|-----------|-----------|--|
| 17. What prevents you from using, or more frequently using, $\underline{\text{video}}$   | telehealth with your patient       | s? Select all that apply           |                            |  |   |  |                      |           |           |  |
| Base: respondents who provide telehealth consultations<br>(all respondents were asked this question, but there were too few<br>respondents who did not provide telehealth to report their results) | Inadequate technical equipment (%) | Inadequate internet connection (%) | Your technical ability (%) | Your personal preference for phone calls (%)       | Your patients'<br>preference for<br>phone calls (%) | Technical ability of your patients (%) | Privacy concerns (%) | Other (%) | Total (n) |  |
| All respondents  | 42%                                | 24%                                | 14%                        | 26%  | 41%   | 63%                                    | 11%                  | 16%       | 1195      |  |
|  | Inadequate technical equipment (%) | Inadequate internet connection (%) | Your technical ability (%) | Your personal<br>preference for<br>phone calls (%) | Your patients'<br>preference for<br>phone calls (%) | Technical ability of your patients (%) | Privacy concerns (%) | Other (%) | Total (n) |  |
| General practitioner   | 50%                                | 23%                                | 18%                        | 34%  | 44%   | 65%                                    | 14%                  | 12%       | 670       |  |
| Physician  | 37%                                | 28%                                | 9%                         | 14%  | 35%   | 68%                                    | 9%                   | 20%       | 254       |  |
| Psychiatrist   | 18%                                | 30%                                | 8%                         | 8%   | 48%   | 45%                                    | 10%                  | 16%       | 92        |  |
| Surgeon  | 29%                                | 18%                                | 8%                         | 23%  | 35%   | 61%                                    | 7%                   | 21%       | 138       |  |
|  | Inadequate technical equipment (%) | Inadequate internet connection (%) | Your technical ability (%) | Your personal<br>preference for<br>phone calls (%) | Your patients'<br>preference for<br>phone calls (%) | Technical ability of your patients (%) | Privacy concerns (%) | Other (%) | Total (n) |  |
| New South Wales  | 44%                                | 25%                                | 17%                        | 28%  | 41%   | 66%                                    | 12%                  | 13%       | 401       |  |
| Queensland   | 46%                                | 24%                                | 11%                        | 29%  | 44%   | 63%                                    | 10%                  | 14%       | 248       |  |
| /ictoria   | 39%                                | 24%                                | 13%                        | 22%  | 41%   | 62%                                    | 10%                  | 17%       | 403       |  |
|  | Inadequate technical equipment (%) | Inadequate internet connection (%) | Your technical ability (%) | Your personal<br>preference for<br>phone calls (%) | Your patients'<br>preference for<br>phone calls (%) | Technical ability of your patients (%) | Privacy concerns (%) | Other (%) | Total (n) |  |
| Doctor in training   | 58%                                | 24%                                | 5%                         | 25%  | 38%   | 73%                                    | 13%                  | 9%        | 55        |  |
| Fully qualified doctor   | 41%                                | 24%                                | 15%                        | 26%  | 41%   | 63%                                    | 11%                  | 16%       | 1140      |  |



| Base: respondents who provide telehealth consultations           | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
|--|--------------------------------|-------------------------|-------------------------|----------------------|----------------|-------------|---------------|-----------|---------|-----------|
| All respondents  | 43%                            | 49%                     | 4%                      | 5%                   | 100%           | 511         | 583           | 47        | 61      | 1202      |
|  | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n  |
| General practitioner   | 37%                            | 59%                     | 2%                      | 2%                   | 100%           | 249         | 394           | 15        | 15      | 673       |
| Physician  | 57%                            | 38%                     | 2%                      | 3%                   | 100%           | 145         | 97            | 5         | 7       | 254       |
| Psychiatrist   | 15%                            | 27%                     | 21%                     | 38%                  | 100%           | 14          | 26            | 20        | 36      | 96        |
| Surgeon  | 60%                            | 35%                     | 4%                      | 1%                   | 100%           | 84          | 48            | 5         | 2       | 139       |
| •  | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| New South Wales  | 42%                            | 49%                     | 3%                      | 6%                   | 100%           | 171         | 199           | 12        | 25      | 407       |
| Queensland   | 40%                            | 49%                     | 6%                      | 6%                   | 100%           | 99          | 121           | 15        | 14      | 249       |
| Victoria Victoria  | 43%                            | 47%                     | 4%                      | 5%                   | 100%           | 175         | 191           | 17        | 20      | 403       |
|  | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| Doctor in training   | 49%                            | 44%                     | 4%                      | 4%                   | 100%           | 27          | 24            | 2         | 2       | 55        |
| Fully qualified doctor   | 42%                            | 49%                     | 4%                      | 5%                   | 100%           | 484         | 559           | 45        | 59      | 1147      |
| 8. Please indicate how often you find these issues challenging w | vhen dealing with patients via | telehealth (phone/audio | o or video)? Difficulty | in responding to urg | ent care needs |             |               |           |         |           |
| Base: respondents who provide telehealth consultations           | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| All respondents  | 10%                            | 48%                     | 30%                     | 11%                  | 100%           | 123         | 576           | 364       | 135     | 1198      |
| <u>'</u>   | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| General practitioner   | 10%                            | 55%                     | 28%                     | 8%                   | 100%           | 66          | 367           | 189       | 51      | 673       |
| Physician  | 10%                            | 45%                     | 30%                     | 15%                  | 100%           | 25          | 114           | 76        | 38      | 253       |
| Psychiatrist   | 7%                             | 38%                     | 41%                     | 13%                  | 100%           | 7           | 36            | 39        | 12      | 94        |
| Gurgeon  | 15%                            | 33%                     | 36%                     | 15%                  | 100%           | 21          | 46            | 50        | 21      | 138       |
| g  | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| lew South Wales  | 12%                            | 49%                     | 27%                     | 12%                  | 100%           | 47          | 197           | 111       | 50      | 405       |
| Queensland   | 7%                             | 45%                     | 33%                     | 15%                  | 100%           | 17          | 111           | 82        | 37      | 247       |
| /ictoria   | 11%                            | 48%                     | 33%                     | 8%                   | 100%           | 44          | 195           | 133       | 31      | 403       |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,                          | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| Doctor in training   | 7%                             | 64%                     | 25%                     | 4%                   | 100%           | 4           | 35            | 14        | 2       | 55        |
| Fully qualified doctor   | 10%                            | 47%                     | 31%                     | 12%                  | 100%           | 119         | 541           | 350       | 133     | 1143      |
| 18. Please indicate how often you find these issues challenging  |                                |                         |                         |                      |                |             |               |           |         |           |
| Base: respondents who provide telehealth consultations           | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| All respondents  | 7%                             | 55%                     | 35%                     | 3%                   | 100%           | 85          | 655           | 419       | 39      | 1198      |
|  | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| General practitioner   | 4%                             | 50%                     | 42%                     | 4%                   | 100%           | 27          | 339           | 282       | 25      | 673       |
| Physician  | 12%                            | 66%                     | 22%                     | 1%                   | 100%           | 30          | 165           | 54        | 2       | 251       |
| Psychiatrist   | 8%                             | 57%                     | 31%                     | 3%                   | 100%           | 8           | 55            | 30        | 3       | 96        |
| Gurgeon  | 12%                            | 51%                     | 31%                     | 6%                   | 100%           | 17          | 70            | 43        | 8       | 138       |
|  | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| lew South Wales  | 8%                             | 53%                     | 35%                     | 4%                   | 100%           | 32          | 213           | 141       | 18      | 404       |
| Queensland   | 5%                             | 48%                     | 44%                     | 3%                   | 100%           | 12          | 120           | 109       | 8       | 249       |
| 'ictoria   | 8%                             | 61%                     | 30%                     | 1%                   | 100%           | 31          | 244           | 121       | 6       | 402       |
|  | Usually (%)                    | Sometimes (%)           | Never (%)               | N/A (%)              | Total (%)      | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n  |
|  |                                |                         |                         |                      |                |             |               |           | ` '     | `         |
| Doctor in training   | 5%                             | 69%                     | 25%                     | 0%                   | 100%           | 3           | 38            | 14        |         | 55        |



| Base: respondents who provide telehealth consultations            | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n) |
|---|-------------------------------|--------------------------|-----------------------|----------------------|-----------|-------------|---------------|-----------|----------|-----------|
| All respondents   | 1%                            | 18%                      | 75%                   | 6%                   | 100%      | 16          | 219           | 890       | 68       | 1193      |
| ·   | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n) |
| General practitioner  | 1%                            | 20%                      | 74%                   | 5%                   | 100%      | 8           | 132           | 497       | 32       | 669       |
| Physician   | 1%                            | 18%                      | 76%                   | 6%                   | 100%      | 3           | 44            | 190       | 14       | 251       |
| Psychiatrist  | 2%                            | 18%                      | 74%                   | 6%                   | 100%      | 2           | 17            | 70        | 6        | 95        |
| Surgeon   | 2%                            | 15%                      | 72%                   | 10%                  | 100%      | 3           | 21            | 100       | 14       | 138       |
|   | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n) |
| New South Wales   | 2%                            | 19%                      | 72%                   | 7%                   | 100%      | 9           | 76            | 288       | 28       | 401       |
| Queensland  | 1%                            | 19%                      | 77%                   | 4%                   | 100%      | 2           | 46            | 189       | 10       | 247       |
| /ictoria  | 1%                            | 17%                      | 77%                   | 4%                   | 100%      | 4           | 69            | 312       | 18       | 403       |
|   | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n  |
| Ooctor in training  | 2%                            | 27%                      | 67%                   | 4%                   | 100%      | 1           | 15            | 37        | 2        | 55        |
| ully qualified doctor   | 1%                            | 18%                      | 75%                   | 6%                   | 100%      | 15          | 204           | 853       | 66       | 1138      |
| 8. Please indicate how often you find these issues challenging wh | nen dealing with patients via | a telehealth (phone/audi | o or video)? Assessin | g capacity to consen | t         |             |               |           |          |           |
| ase: respondents who provide telehealth consultations             | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n) |
| All respondents   | 4%                            | 31%                      | 57%                   | 9%                   | 100%      | 43          | 366           | 676       | 110      | 1195      |
| ·····   | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n  |
| Seneral practitioner  | 2%                            | 31%                      | 61%                   | 6%                   | 100%      | 13          | 209           | 407       | 41       | 670       |
| hysician  | 4%                            | 32%                      | 53%                   | 11%                  | 100%      | 11          | 81            | 135       | 27       | 254       |
| sychiatrist   | 1%                            | 20%                      | 65%                   | 14%                  | 100%      | 1           | 19            | 62        | 13       | 95        |
| urgeon  | 12%                           | 31%                      | 42%                   | 16%                  | 100%      | 16          | 42            | 57        | 22       | 137       |
| ui 90011  | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n  |
| ew South Wales  | 5%                            | 30%                      | 55%                   | 10%                  | 100%      | 20          | 121           | 223       | 40       | 404       |
| ueensland   | 2%                            | 28%                      | 61%                   | 8%                   | 100%      | 6           | 70            | 151       | 20       | 247       |
| ictoria   | 3%                            | 29%                      | 59%                   | 9%                   | 100%      | 13          | 116           | 235       | 37       | 401       |
| lotoria   | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n  |
| octor in training   | 2%                            | 42%                      | 45%                   | 11%                  | 100%      | 1           | 23            | 25        | 6        | 55        |
| Fully qualified doctor  | 4%                            | 30%                      | 57%                   | 9%                   | 100%      | 42          | 343           | 651       | 104      | 1140      |
| 8. Please indicate how often you find these issues challenging wh |                               |                          |                       |                      | 100 76    | 42          | 343           | 031       | 104      | 1140      |
| ase: respondents who provide telehealth consultations             | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n) |
| Il respondents  | 3%                            | 71%                      | 23%                   | 3%                   | 100%      | 39          | 853           | 270       | 32       | 1194      |
|   | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n) |
| eneral practitioner   | 2%                            | 72%                      | 23%                   | 3%                   | 100%      | 13          | 481           | 156       | 20       | 670       |
| 'hysician   | 6%                            | 73%                      | 20%                   | 1%                   | 100%      | 16          | 184           | 50        | 2        | 252       |
| sychiatrist   | 5%                            | 73%                      | 16%                   | 6%                   | 100%      | 5           | 70            | 15        | 6        | 96        |
| urgeon  | 1%                            | 65%                      | 31%                   | 3%                   | 100%      | 2           | 88            | 42        | 4        | 136       |
|   | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n  |
| ew South Wales  | 4%                            | 67%                      | 26%                   | 3%                   | 100%      | 16          | 271           | 103       | 13       | 403       |
| Queensland  | 2%                            | 72%                      | 25%                   | 2%                   | 100%      | 4           | 179           | 62        | 4        | 249       |
| /ictoria  | 4%                            | 75%                      | 18%                   | 2%                   | 100%      | 16          | 302           | 74        | 9        | 401       |
|   | Usually (%)                   | Sometimes (%)            | Never (%)             | N/A (%)              | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n)  | Total (n) |
|   |                               |                          |                       | 0%                   | 100%      | 5           | 43            | 7         | IVA (II) | 55        |
| Ooctor in training  | 9%                            | 78%                      | 13%                   | 11%                  |           |             |               |           |          |           |



| Base: respondents who provide telehealth consultations | Usually (%) | Sometimes (%) | Never (%) | N/A (%) | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
|--|-------------|---------------|-----------|---------|-----------|-------------|---------------|-----------|---------|-----------|
| All respondents  | 6%          | 38%           | 11%       | 45%     | 100%      | 74          | 445           | 135       | 526     | 1180      |
|  | Usually (%) | Sometimes (%) | Never (%) | N/A (%) | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| General practitioner                                   | 5%          | 27%           | 8%        | 60%     | 100%      | 34          | 175           | 55        | 394     | 658       |
| Physician  | 10%         | 55%           | 12%       | 23%     | 100%      | 24          | 137           | 31        | 58      | 250       |
| Psychiatrist   | 8%          | 67%           | 19%       | 5%      | 100%      | 8           | 64            | 18        | 5       | 95        |
| Surgeon  | 4%          | 42%           | 17%       | 37%     | 100%      | 5           | 58            | 24        | 51      | 138       |
|  | Usually (%) | Sometimes (%) | Never (%) | N/A (%) | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| New South Wales  | 7%          | 31%           | 12%       | 51%     | 100%      | 26          | 125           | 46        | 202     | 399       |
| Queensland   | 5%          | 33%           | 10%       | 52%     | 100%      | 12          | 80            | 25        | 126     | 243       |
| Victoria   | 8%          | 47%           | 12%       | 33%     | 100%      | 30          | 187           | 48        | 131     | 396       |
|  | Usually (%) | Sometimes (%) | Never (%) | N/A (%) | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n  |
| Doctor in training                                     | 7%          | 28%           | 9%        | 56%     | 100%      | 4           | 15            | 5         | 30      | 54        |
| Fully qualified doctor                                 | 6%          | 38%           | 12%       | 44%     | 100%      | 70          | 430           | 130       | 496     | 1126      |



| Base: respondents who provide telehealth consultations             | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
|--|-------------------------------|--------------------------|--------------------------|-------------|-----------|-------------|---------------|-----------|---------|-----------|
| All respondents  | 2%                            | 20%                      | 53%                      | 25%         | 100%      | 21          | 239           | 627       | 303     | 1190      |
| •  | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| General practitioner   | 2%                            | 26%                      | 62%                      | 10%         | 100%      | 14          | 172           | 411       | 70      | 667       |
| Physician  | 2%                            | 13%                      | 42%                      | 44%         | 100%      | 4           | 32            | 105       | 109     | 250       |
| Psychiatrist   | 3%                            | 13%                      | 43%                      | 41%         | 100%      | 3           | 12            | 40        | 39      | 94        |
| Surgeon  | 0%                            | 11%                      | 45%                      | 45%         | 100%      |             | 15            | 62        | 62      | 139       |
| Ü  | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| New South Wales  | 2%                            | 22%                      | 48%                      | 28%         | 100%      | 8           | 88            | 192       | 114     | 402       |
| Queensland   | 0%                            | 19%                      | 56%                      | 24%         | 100%      | 1           | 47            | 138       | 59      | 245       |
| Victoria   | 2%                            | 19%                      | 55%                      | 24%         | 100%      | 9           | 77            | 220       | 95      | 401       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| Doctor in training   | 4%                            | 20%                      | 61%                      | 15%         | 100%      | 2           | 11            | 33        | 8       | 54        |
| Fully qualified doctor   | 2%                            | 20%                      | 52%                      | 26%         | 100%      | 19          | 228           | 594       | 295     | 1136      |
| 9. Please indicate how often you find these other issues challeng  | ging when using telehealth (p | phone/audio or video)? A | Availability of the refe | rral letter |           |             |               |           |         |           |
| Base: respondents who provide telehealth consultations             | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| All respondents  | 3%                            | 25%                      | 56%                      | 17%         | 100%      | 36          | 292           | 663       | 197     | 1188      |
| <u>'</u>   | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| General practitioner   | 2%                            | 20%                      | 57%                      | 20%         | 100%      | 16          | 136           | 377       | 135     | 664       |
| Physician  | 4%                            | 34%                      | 56%                      | 7%          | 100%      | 9           | 85            | 140       | 17      | 251       |
| Psychiatrist   | 5%                            | 15%                      | 65%                      | 15%         | 100%      | 5           | 14            | 62        | 14      | 95        |
| Gurgeon  | 4%                            | 32%                      | 54%                      | 9%          | 100%      | 6           | 44            | 75        | 13      | 138       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| lew South Wales  | 5%                            | 30%                      | 48%                      | 17%         | 100%      | 19          | 121           | 192       | 67      | 399       |
| Queensland   | 2%                            | 18%                      | 64%                      | 16%         | 100%      | 4           | 45            | 157       | 40      | 246       |
| Victoria   | 2%                            | 24%                      | 60%                      | 14%         | 100%      | 9           | 98            | 240       | 55      | 402       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| Doctor in training   | 7%                            | 17%                      | 56%                      | 20%         | 100%      | 4           | 9             | 30        | 11      | 54        |
| Fully qualified doctor   | 3%                            | 25%                      | 56%                      | 16%         | 100%      | 32          | 283           | 633       | 186     | 1134      |
| 19. Please indicate how often you find these other issues challeng |                               |                          |                          |             |           |             |               |           |         |           |
| Base: respondents who provide telehealth consultations             | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| All respondents  | 3%                            | 26%                      | 65%                      | 6%          | 100%      | 41          | 310           | 769       | 72      | 1192      |
|  | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| General practitioner   | 3%                            | 27%                      | 68%                      | 1%          | 100%      | 22          | 181           | 456       | 8       | 667       |
| Physician  | 4%                            | 25%                      | 65%                      | 6%          | 100%      | 9           | 63            | 163       | 16      | 251       |
| Psychiatrist   | 3%                            | 22%                      | 56%                      | 19%         | 100%      | 3           | 21            | 53        | 18      | 95        |
| Surgeon  | 4%                            | 22%                      | 63%                      | 12%         | 100%      | 5           | 30            | 87        | 17      | 139       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| lew South Wales  | 4%                            | 32%                      | 57%                      | 7%          | 100%      | 18          | 128           | 229       | 27      | 402       |
| Queensland   | 2%                            | 23%                      | 70%                      | 5%          | 100%      | 6           | 56            | 172       | 12      | 246       |
| /ictoria   | 3%                            | 23%                      | 69%                      | 6%          | 100%      | 11          | 91            | 277       | 23      | 402       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)                | N/A (%)     | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| Doctor in training   | 2%                            | 20%                      | 70%                      | 7%          | 100%      | 1           | 11            | 38        | 4       | 54        |
| Doctor in training   | 270                           |                          |                          |             |           |             |               |           |         |           |



| Base: respondents who provide telehealth consultations             | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
|--|-------------------------------|--------------------------|----------------------|------------------|-----------|-------------|---------------|-----------|---------|-----------|
| All respondents  | 5%                            | 39%                      | 52%                  | 4%               | 100%      | 64          | 467           | 615       | 46      | 1192      |
| -  | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| General practitioner   | 4%                            | 37%                      | 58%                  | 1%               | 100%      | 24          | 250           | 386       | 8       | 668       |
| Physician  | 9%                            | 45%                      | 43%                  | 3%               | 100%      | 23          | 111           | 108       | 7       | 249       |
| Psychiatrist   | 6%                            | 35%                      | 42%                  | 17%              | 100%      | 6           | 34            | 40        | 16      | 96        |
| Surgeon  | 6%                            | 37%                      | 52%                  | 5%               | 100%      | 8           | 52            | 72        | 7       | 139       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| New South Wales  | 7%                            | 41%                      | 47%                  | 5%               | 100%      | 27          | 163           | 190       | 22      | 402       |
| Queensland   | 2%                            | 39%                      | 57%                  | 2%               | 100%      | 6           | 95            | 139       | 6       | 246       |
| Victoria   | 5%                            | 37%                      | 55%                  | 3%               | 100%      | 21          | 147           | 221       | 13      | 402       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| Doctor in training   | 4%                            | 43%                      | 52%                  | 2%               | 100%      | 2           | 23            | 28        | 1       | 54        |
| Fully qualified doctor   | 5%                            | 39%                      | 52%                  | 4%               | 100%      | 62          | 444           | 587       | 45      | 1138      |
| 9. Please indicate how often you find these other issues challen   | ging when using telehealth (p | phone/audio or video)? A | Arranging dispensing | of prescriptions |           |             |               |           |         |           |
| Base: respondents who provide telehealth consultations             | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| All respondents  | 11%                           | 43%                      | 42%                  | 5%               | 100%      | 126         | 513           | 495       | 57      | 1191      |
| '  | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| General practitioner   | 7%                            | 44%                      | 48%                  | 0%               | 100%      | 48          | 295           | 321       | 2       | 666       |
| Physician  | 19%                           | 42%                      | 32%                  | 7%               | 100%      | 48          | 104           | 80        | 18      | 250       |
| Psychiatrist   | 15%                           | 43%                      | 33%                  | 9%               | 100%      | 14          | 41            | 32        | 9       | 96        |
| Gurgeon  | 10%                           | 42%                      | 40%                  | 8%               | 100%      | 14          | 58            | 56        | 11      | 139       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| New South Wales  | 13%                           | 42%                      | 39%                  | 6%               | 100%      | 51          | 169           | 158       | 24      | 402       |
| Queensland   | 7%                            | 47%                      | 42%                  | 4%               | 100%      | 18          | 117           | 103       | 9       | 247       |
| Victoria   | 12%                           | 43%                      | 42%                  | 4%               | 100%      | 47          | 170           | 169       | 14      | 400       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| Doctor in training   | 7%                            | 41%                      | 46%                  | 6%               | 100%      | 4           | 22            | 25        | 3       | 54        |
| Fully qualified doctor   | 11%                           | 43%                      | 41%                  | 5%               | 100%      | 122         | 491           | 470       | 54      | 1137      |
| 19. Please indicate how often you find these other issues challeng |                               |                          |                      | _                |           |             |               |           |         |           |
| Base: respondents who provide telehealth consultations             | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| All respondents  | 3%                            | 27%                      | 67%                  | 3%               | 100%      | 36          | 322           | 797       | 37      | 1192      |
|  | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| General practitioner   | 2%                            | 29%                      | 68%                  | 1%               | 100%      | 13          | 194           | 456       | 4       | 667       |
| Physician  | 6%                            | 25%                      | 66%                  | 4%               | 100%      | 14          | 63            | 164       | 9       | 250       |
| Psychiatrist   | 3%                            | 24%                      | 66%                  | 7%               | 100%      | 3           | 23            | 63        | 7       | 96        |
| Surgeon  | 4%                            | 24%                      | 71%                  | 1%               | 100%      | 5           | 34            | 98        | 2       | 139       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| lew South Wales  | 3%                            | 33%                      | 61%                  | 3%               | 100%      | 13          | 131           | 245       | 13      | 402       |
| Queensland   | 2%                            | 26%                      | 69%                  | 2%               | 100%      | 6           | 64            | 170       | 6       | 246       |
| /ictoria   | 2%                            | 24%                      | 72%                  | 3%               | 100%      | 8           | 95            | 288       | 11      | 402       |
|  | Usually (%)                   | Sometimes (%)            | Never (%)            | N/A (%)          | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
| Doctor in training   | 2%                            | 26%                      | 69%                  | 4%               | 100%      | 1           | 14            | 37        | 2       | 54        |
| =  |                               |                          |                      |                  |           |             |               |           |         |           |



| Base: respondents who provide telehealth consultations | Usually (%) | Sometimes (%) | Never (%) | N/A (%) | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n) |
|--|-------------|---------------|-----------|---------|-----------|-------------|---------------|-----------|---------|-----------|
| All respondents  | 4%          | 77%           | 17%       | 2%      | 100%      | 51          | 909           | 206       | 22      | 1188      |
|  | Usually (%) | Sometimes (%) | Never (%) | N/A (%) | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n  |
| General practitioner                                   | 2%          | 75%           | 21%       | 1%      | 100%      | 16          | 501           | 140       | 9       | 666       |
| Physician  | 8%          | 79%           | 12%       | 1%      | 100%      | 20          | 196           | 30        | 3       | 249       |
| Psychiatrist   | 7%          | 86%           | 3%        | 3%      | 100%      | 7           | 82            | 3         | 3       | 95        |
| Surgeon  | 6%          | 70%           | 20%       | 4%      | 100%      | 8           | 96            | 28        | 6       | 138       |
|  | Usually (%) | Sometimes (%) | Never (%) | N/A (%) | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n  |
| New South Wales  | 3%          | 77%           | 19%       | 2%      | 100%      | 12          | 306           | 74        | 8       | 400       |
| Queensland   | 3%          | 77%           | 19%       | 0%      | 100%      | 8           | 189           | 47        | 1       | 245       |
| Victoria   | 6%          | 80%           | 12%       | 2%      | 100%      | 24          | 320           | 50        | 7       | 401       |
|  | Usually (%) | Sometimes (%) | Never (%) | N/A (%) | Total (%) | Usually (n) | Sometimes (n) | Never (n) | N/A (n) | Total (n  |
| Doctor in training                                     | 6%          | 85%           | 9%        | 0%      | 100%      | 3           | 46            | 5         |         | 54        |
| Fully qualified doctor                                 | 4%          | 76%           | 18%       | 2%      | 100%      | 48          | 863           | 201       | 22      | 1134      |



| 20. Has a patient ever made a complaint to you (or your practice/workp | lace) that you believe wa | s the result of telehea | ilth?     |        |         |           |
|--|---------------------------|-------------------------|-----------|--------|---------|-----------|
| Base: respondents who provide telehealth consultations                 | No (%)                    | Yes (%)                 | Total (%) | No (n) | Yes (n) | Total (n) |
| All respondents  | 95%                       | 5%                      | 100%      | 1137   | 65      | 1202      |
|  | No (%)                    | Yes (%)                 | Total (%) | No (n) | Yes (n) | Total (n) |
| General practitioner   | 95%                       | 5%                      | 100%      | 636    | 37      | 673       |
| Physician  | 94%                       | 6%                      | 100%      | 240    | 14      | 254       |
| Psychiatrist   | 95%                       | 5%                      | 100%      | 91     | 5       | 96        |
| Surgeon  | 96%                       | 4%                      | 100%      | 133    | 6       | 139       |
|  | No (%)                    | Yes (%)                 | Total (%) | No (n) | Yes (n) | Total (n) |
| New South Wales  | 96%                       | 4%                      | 100%      | 389    | 18      | 407       |
| Queensland   | 94%                       | 6%                      | 100%      | 234    | 15      | 249       |
| Victoria   | 93%                       | 7%                      | 100%      | 377    | 27      | 404       |
|  | No (%)                    | Yes (%)                 | Total (%) | No (n) | Yes (n) | Total (n) |
| Doctor in training   | 91%                       | 9%                      | 100%      | 49     | 5       | 54        |
| Fully qualified doctor   | 95%                       | 5%                      | 100%      | 1088   | 60      | 1148      |

| 21. In a future where COVID-19 is no longer a pandemic, | how interested would you be in using te | lehealth with your p    | atients (assuming ongo | ing MBS funding)? |           |                     |                         |                    |            |           |
|---|---|-------------------------|------------------------|-------------------|-----------|---------------------|-------------------------|--------------------|------------|-----------|
| Base: all respondents                                   | Very interested (%)                     | Somewhat interested (%) | Not interested (%)     | Unsure (%)        | Total (%) | Very interested (n) | Somewhat interested (n) | Not interested (n) | Unsure (n) | Total (n) |
| All respondents   | 66%                                     | 21%                     | 11%                    | 2%                | 100%      | 822                 | 256                     | 137                | 29         | 1244      |
|   | Very interested (%)                     | Somewhat interested (%) | Not interested (%)     | Unsure (%)        | Total (%) | Very interested (n) | Somewhat interested (n) | Not interested (n) | Unsure (n) | Total (n) |
| General practitioner                                    | 72%                                     | 20%                     | 7%                     | 1%                | 100%      | 487                 | 133                     | 44                 | 8          | 672       |
| Physician   | 65%                                     | 19%                     | 14%                    | 3%                | 100%      | 172                 | 51                      | 36                 | 7          | 266       |
| Psychiatrist  | 69%                                     | 18%                     | 10%                    | 3%                | 100%      | 67                  | 17                      | 10                 | 3          | 97        |
| Surgeon   | 44%                                     | 26%                     | 25%                    | 5%                | 100%      | 67                  | 39                      | 38                 | 7          | 151       |
|   | Very interested (%)                     | Somewhat interested (%) | Not interested (%)     | Unsure (%)        | Total (%) | Very interested (n) | Somewhat interested (n) | Not interested (n) | Unsure (n) | Total (n) |
| New South Wales   | 65%                                     | 20%                     | 11%                    | 4%                | 100%      | 279                 | 86                      | 48                 | 15         | 428       |
| Queensland  | 65%                                     | 22%                     | 10%                    | 3%                | 100%      | 165                 | 57                      | 25                 | 7          | 254       |
| Victoria  | 68%                                     | 20%                     | 10%                    | 1%                | 100%      | 281                 | 84                      | 41                 | 6          | 412       |
|   | Very interested (%)                     | Somewhat interested (%) | Not interested (%)     | Unsure (%)        | Total (%) | Very interested (n) | Somewhat interested (n) | Not interested (n) | Unsure (n) | Total (n) |
| Doctor in training                                      | 57%                                     | 31%                     | 10%                    | 2%                | 100%      | 33                  | 18                      | 6                  | 1          | 58        |
| Fully qualified doctor                                  | 67%                                     | 20%                     | 11%                    | 2%                | 100%      | 789                 | 238                     | 131                | 28         | 1186      |