



Product Name: CLINAFARM SPRAY BROAD SPECTRUM FUNGICIDE
APVMA Approval No: 58595/123249

Label Name:	CLINAFARM SPRAY BROAD SPECTRUM FUNGICIDE
Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	150 g/L IMAZALIL
Mode of Action:	GROUP 3 FUNGICIDE
Statement of Claims:	FOR POULTRY HATCHERIES SETTERS AND BROODERS
Net Contents:	1 L
Restrains:	DO NOT apply spray using knapsack/backpack application equipment. DO NOT USE in hatcheries, setters and brooders while poultry are present. DO NOT USE on eggs for human consumption.
Directions for Use:	<p>Situation: Poultry hatcheries, setters and brooders</p> <p>Rate: For the control of susceptible fungi in poultry facilities dilute product one part in 99 parts water and lightly spray all surfaces using a low pressure spray and delivering about 20mL per square metre.</p> <p>Critical comments: Determine the surface area to be sprayed and calculate the volume of working solution required by allowing that one litre of working solution is sufficient for 50 square metres of surface. Allow 10mL of concentrate for each litre of working solution, measure out the required volume of concentrate, dilute with twice the volume of water and stir until thoroughly mixed, then dilute with twice the volume again and mix thoroughly, then make up to final volume, stirring continuously. The facility should be sealed for half an hour after spraying is completed and should be well ventilated before being brought back into production.</p> <p>In rooms that can be closed off tightly one generator of Clinafarm Smoke/50m³ may be</p>

	used in addition to the spray treatment if required.
--	--

Other Limitations:	NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	
-----------------------	--

Resistance Warning:	<p>Fungicide Resistance Warning</p> <p>GROUP 3 FUNGICIDE</p> <p>CLINAFARM SPRAY® (Imazalil) is a member of the dimethylation inhibiting group of fungicides. For fungicide resistance management the product is a GROUP 3 FUNGICIDE. Some naturally occurring populations resistant to imazalil and other group 3 fungicides may exist through the normal genetic variability in any fungal population. These resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by the product or other group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Elanco Australasia Pty Ltd, accepts no liability for any losses that may result from the failure of the product to control resistant fungi.</p>
---------------------	---

Precautions:	<p>The following precautionary statement should be placed where treatment is in progress and within 30 minutes after the treatment: “CAUTION: Do not enter area. Clinafarm Spray treatment in progress.”</p> <p>RE-ENTRY OR RE-HANDLING STATEMENT. DO NOT allow entry into treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist and chemical resistant gloves. Clothing must be laundered after each day's use.</p>
--------------	---

Protections:	PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND THE ENVIRONMENT. DO NOT contaminate streams, rivers, lakes or other natural waterways with product or used containers.
--------------	--

Storage and Disposal:	Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemical on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or products.
-----------------------	--

Safety Directions:	Harmful by inhalation and if swallowed. May irritate the nose and throat. Irritating to the eyes and skin. Repeated exposure may cause allergic disorders. Risk of serious damage to eyes. Avoid contact with eyes and skin. When opening the container, mixing and loading and preparing spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length gloves and a full facepiece respirator. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash contaminated clothing, gloves, respirator and if rubber wash with detergent and warm water.
--------------------	---

First Aid Instructions:	If poisoning occurs contact a doctor or Poisons Information Centre (phone Australia 13 11 26).
-------------------------	--

First Aid Warnings:	
---------------------	--