



BG5110DEALB

DIRECTIONS FOR USE:

Restraints:

DO NOT USE in chickens producing eggs.
DO NOT USE in cattle producing milk for human consumption.

Contra-indications:

DO NOT USE in turkeys or game birds – may be fatal.
DO NOT USE in horses or other equines - may be fatal.
Poultry consuming narasin should not be treated with tiamulin. Severe growth depression or death may occur.
DO NOT USE concurrently with another ionophore, as severe growth depression or death may occur.

Precautions:

Mixing errors resulting in high concentrations of MONTEBAN 100 Premix or feeding this premix undiluted could be fatal to cattle.

Mixing Directions:

IMPORTANT - THIS PREMIX MUST BE THOROUGHLY MIXED IN FEED BEFORE USE.

Broiler Chickens: Thoroughly mix 0.60kg to 0.80kg of MONTEBAN 100 Premix in one tonne of feed to provide 60-80g narasin activity per tonne of complete feed.

Thorough mixing of the MONTEBAN 100 Premix with a small quantity of finished feed (20 to 50kg) before incorporation into the bulk of the finished feed is recommended.

Lotfed Cattle: Complete feeds: Thoroughly mix MONTEBAN 100 Premix with the ration to provide from 5-13g/tonne (ppm) narasin in the ration. Rations containing silages or other wet feeds should be corrected to a 90% dry matter basis.

MONTEBAN 100 Premix Addition Rate (grams)	Complete Feed (kg)	Concentration of narasin in complete feed (ppm)
50	1000	5
130	1000	13

WITHHOLDING PERIODS:

Cattle: MEAT: NIL

MILK: DO NOT USE in cows which are producing, or may in the future produce milk or milk products for human consumption.

Chickens: MEAT: NIL

EGGS: DO NOT USE in chickens which are producing or may in the future produce eggs or egg products for human consumption.

TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI):

This product does not have an ESI established.

For advice on the ESI, contact Elanco Animal Health (Australia) on 1800 226 324 before using this product.

SAFETY DIRECTIONS:

Poisonous if swallowed. Will damage eyes and will irritate the nose, throat and skin. Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders. Do not inhale dust. When opening the container and mixing into feed, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves, goggles and disposable dust mask covering mouth and nose. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 1126. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor. Additional information is in the Material Safety Data Sheet.

ELANCO * AF0510
Monteban® 100

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY

ELANCO * AF0510

Monteban® 100

Narasin *

Premix

ACTIVE CONSTITUENT: 100g/kg NARASIN

As an aid in the prevention of coccidiosis in broiler chickens caused by *Eimeria acervulina*, *E. brunetti*, *E. maxima*, *E. mivati*, *E. necatrix* and *E. tenella*. For improved feed conversion efficiency in lotfed cattle.

**FOR USE IN BROILER CHICKEN
AND LOTFED CATTLE FEEDS ONLY**

25kg NET

DISPOSAL OF BAGS: Shake and empty contents into medicated feed. Do not dispose of undiluted chemicals on site. Puncture or shred and bury empty bags in a local authority landfill. If not available bury the bag below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty bags and product should not be burned.

Store below 30°C (Room Temperature) in a dry place.
For expiry date and batch number see top of bag.

APVMA Approval No: 36784/25kg/1108

ELANCO ANIMAL HEALTH
A DIVISION OF ELI LILLY AUSTRALIA PTY LIMITED
A.B.N. 39 000 233 992
112 WHARF ROAD, WEST RYDE, N.S.W. 2114
TEL: Toll Free 1800 226 324



Animal Health Alliance
SOLUTIONS FOR THE FUTURE

USE NO HOOKS



BG5110DEALB (V01-12-2008)

ELANCO * AF0510
Monteban® 100

BG5110DEALB