



Product Name: CLINAFARM SMOKE GENERATOR BROAD SPECTRUM FUNGICIDAL FUMIGANT
APVMA Approval No: 58594/123250

Label Name:	CLINAFARM SMOKE GENERATOR BROAD SPECTRUM FUNGICIDAL FUMIGANT
Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	174 g/kg IMAZALIL 141 g/kg POTASSIUM CHLORATE
Mode of Action:	GROUP 3 FUNGICIDE
Statement of Claims:	FOR POULTRY HATCHERIES SETTERS AND BROODERS
Net Contents:	198 g 33 g
Restrains:	DO NOT USE in hatcheries, setters and brooders while poultry are present DO NOT USE on eggs for human consumption
Directions for Use:	<p>Situation: Poultry hatcheries, setters and brooders</p> <p>Rate: Use one smoke generator for up to 50m³ of space, or one generator in each setter or brooder, so that the fungicidal fumes can permeate to all areas of the enclosed facility. Each generator contains 33g, equivalent to 5.75g imazalil.</p> <p>Critical Comment: Product must only be used once per batch. Determine the number of smoke generators required and set them out in a pattern which will facilitate the even spread of fumes. Place each smoke generator on the non-flammable base, such as a brick, remove and discard the red cap and commence lighting the wicks so that the last one ignited is closest to the exit door. A cigarette lighter is recommended for lighting the wicks. Leave the facility as soon as all wicks have been lit. Each smoke generator will burn for 20 to 40 seconds, without flame and emitting white to grey smoke. The facility should be sealed and re-entry prevented for eight hours after</p>

	<p>lighting the wick. The facility should be well ventilated before being brought back into production.</p> <p>Where additional disinfection is required Clinafarm Spray may be used prior to fumigation with the smoke.</p>
--	--

Other Limitations:	NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	
-----------------------	--

Resistance Warning:	<p>Fungicide Resistance Warning GROUP 3 FUNGICIDE</p> <p>CLINAFARM SMOKE GENERATOR (Imazalil) is a member of the dimethylation inhibiting group of fungicides. For fungicide resistance management the product is a GROUP 3 FUNGICIDE.</p> <p>Some naturally occurring populations resistant to imazalil and other group 3 fungicides may exist through the normal genetic variability in any fungal population. These resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product or other group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss.</p> <p>Since the occurrence of resistant fungi is difficult to detect prior to use, Elanco Australasia Pty Ltd, accepts no liability for any losses that may result from the failure of imazalil to control resistant fungi.</p>
---------------------	---

Precautions:	<p>The following precautionary statement should be placed where treatment is in progress, and for 8 hours after treatment:</p> <p>CAUTION. Do not enter area. Clinafarm Smoke Generator treatment in process.</p> <p>Re-entry period: Do not enter the sealed treatment areas prior to the completion of a period of 8 hours, unless wearing a full face-piece respirator with organic vapour/gas cartridge or canister.</p>
--------------	--

Protections:	PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND THE ENVIRONMENT. DO NOT contaminate streams, rivers, lakes or other natural waterways with product or used containers.
--------------	--

Storage and Disposal:	Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Crush used containers and dispose of them in a local authority landfill. If no landfill available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.
-----------------------	--

Safety Directions:	Harmful by inhalation and if swallowed. Irritating to the eyes and skin. Risk of serious damage to eyes. Avoid contact with eyes and skin. If product in eyes, wash it out
--------------------	--

immediately with water. When using the product, wear rubber gloves and goggles. Wash hands after use. After each day's use, wash gloves.

First Aid Instructions:

If poisoning occurs contact a doctor or Poisons Information Centre (phone Australia 13 11 26).

First Aid Warnings: